

Name:		
Marine.		

First Term Examination(2017 - 2018)

Class: X

M. Marks: 80

Subject: Mathematics


Time: 3hrs

SET-A

INSTRUCTIONS

- All Questions to be answered in the Answer Script only
- All questions are compulsory and statements should be systematic as per requirement.
- The paper is of four pages and consists of 28 questions divided into four sections A, B, C and D.
- Section A consists 4 questions of 1mark each
- Section B consists of 5 questions of 2 marks each
- Section C consists of 10 questions of 3 marks each
- Section D consists of 9 questions of 4 marks each.
- One graph sheets will be provided with this paper.
- All figures given in the question paper are "Not to the scale".
- Use of Calculators is not permitted.

Section A



If $p(x) = \sqrt{3}x^2 - 2x - \sqrt{3}$ is a polynomial, then find one of its zeroes.

How many solutions can the following system of equations: ax + by = 3 and 3ax + 3by = 4 possibly have for any non-zero real value of a and b.

Find the coordinates of the point on the x- axis which is equidistant from the points (5, -2) and (-3, 2).

Section B

Is it possible to design a rectangular park of perimeter 80 m and area 300 m^2 . Explain mathematically.

Find 'k' so that the quadratic equation (k+1) x^2 - 2 (k+1) x + 1= 0 has equal roots.

Prove the identity $\sqrt{(1-Cos^2\theta)Sec^2\theta} = tan\theta$

Corresponding sides of two similar triangles are in the ratio 2:3. If the area of the smaller triangle is 48cm², find the area of the larger triangle.


Solve for x and y:

$$\frac{2}{\sqrt{x}} + \frac{3}{\sqrt{y}} = 2$$

$$\frac{4}{\sqrt{x}} - \frac{9}{\sqrt{y}} = -1$$

Section C

- Anya takes 32 minutes to complete one round of cycling around a circular biking path. Vidisha takes 24 minutes for the same. Both of them start at the same point at 6:00 am. After how many rounds will the two cyclists meet again at the starting point?
- 11. If α and β are the zeroes of the polynomial $2x^2 6x + k$ and $2\alpha + 5\beta = 12$, find the value of k.
- If D (3,-2), E (-3,1) and F(4,-3) be the midpoints of sides BC, CA and AB respectively of ΔABC. Then find the coordinates of the vertices A, B and C.
 - In $\triangle ABC$, D and E are points on AB and AC such that DE // BC and AD= (4x-3) cm, AE= (8x-7) cm, BD = (3x-1) cm and CE = (5x-3) cm. Find the value of x.
 - If PA // RC, are separated at a distance of (a + b) and are both perpendicular to line AC. On joining, PC and RA intersect at point Q. Also QB is perpendicular to AC. If PA= x, RC= y, QB= z, AB= a and BC= b, prove that: $\frac{1}{x} + \frac{1}{y} = \frac{1}{z}$



- Find the value of θ , if $2Sin^2\theta Cos^2\theta = 2$.
- Prove the identity: $\frac{Sin\theta}{1 + Cos\theta} + \frac{1 + Cos\theta}{Sin\theta} = 2Cosec\theta$
- Draw the graphs of the equations 5x y = 5 and 3x y = 3. Determine the coordinates of the vertices of the triangle formed by these lines and the y axis.

- (18) If 9th term of an A.P. is zero, prove that its 29th term is double the 19th term.
- Find the three numbers in an arithmetic progression whose sum is 48 and the sum of their squares is 800.

Section D

- A trader bought a number of articles for ₹ 900, five were damaged and he sold each of the rest at ₹ 2 more than what he paid for it, thus getting a profit of ₹ 80 on the whole transaction. Find the number of articles he bought.
- Find the area of triangle formed by joining the midpoints of the sides of the triangle whose vertices are (2, 2), (4, 4) and (2, 6).
- If $1 + Sin^2\theta = 3Sin\theta Cos\theta$, then prove that $tan\theta = 1$ or $\frac{1}{2}$
 - The pilot of an aircraft flying horizontally at a speed of 1200 Km/hr observes that the angle of depression of a point on the ground changes from 30° to 45° in 15 seconds. Find the height at which the aircraft is flying.
- A vertical tower stands on a horizontal plane and is surmounted by a vertical flag staff of height h. At a point on the plane, the angles of elevation of the bottom and the top of the flag staff are α and β , respectively. Prove that the height of the tower is $\left(\frac{htan\alpha}{tan\beta-tan\alpha}\right)$
- Prove that $\sqrt{3}$ is an irrational number. Use this to show that $\frac{2}{2+\sqrt{3}}$ is irrational.
- In $\triangle ABC$, $\angle ABC > 90^{\circ}$ and $AD \perp CB$. Prove that $AC^2 = AB^2 + BC^2 + 2BC \cdot BD$
 - A train covered a certain distance at a uniform speed. If the train would have been 10 km/h faster, it would have taken 2 hours less than the scheduled time. And if the train were slower by 10 km/h; it would have taken 3 hours more than the scheduled time. Find the distance covered by the train.
 - The coefficients a, b, c of the quadratic equation $ax^2 + bx + c = 0$ form an arithmetic progression. If one root of this equation is 2. Find the other root.